

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

FiberTech Gel - P

Product group: Zulieferprodukt

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**Cosmetic product
Restricted to professional users.**1.3. Details of the supplier of the safety data sheet**

Company name:	Wilde Cosmetics GmbH	
Street:	Rheingastr. 19a	
Place:	D-65375 Oestrich-Winkel	
Post-office box:	1220	
	D-65368 Oestrich-Winkel	
Telephone:	+49-6723-6020-0	Telefax: +49-6723-6020-15
e-mail:	beate.kerntopf@wilde-group.com	
Contact person:	Dr. Beate Kerntopf	Telephone: -752

1.4. Emergency telephone number: +49-6723-6020-0 This telephone number is available during office hours only.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:
 Skin corrosion/irritation: Skin Irrit. 2
 Serious eye damage/eye irritation: Eye Irrit. 2
 Respiratory or skin sensitisation: Skin Sens. 1
 Hazardous to the aquatic environment: Aquatic Chronic 3
 Hazard Statements:
 Causes skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye irritation.
 Harmful to aquatic life with long lasting effects.

The classification is in compliance with coming legislation and therefore may differ from the safety label on the package.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

HYDROXYPROPYL METHACRYLATE
 2-hydroxyethyl methacrylate
 (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate
 METHYL BENZOYLFORMATE

Signal word: Warning

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 2 of 12

Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands after handling. thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to Offer surplus and non-recyclable solutions to a licensed disposal company..

Special labelling of certain mixtures

EUH204	Contains isocyanates. May produce an allergic reaction. Restricted to professional users.
--------	--

2.3. Other hazards

Keep out of the reach of children. Irritating to eyes and skin. May cause sensitization by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Components / INCI:
 Di-HEMA Trimethylhexyl Dicarbamate
 Urethane Acrylates
 Hydroxypropyl Methacrylate
 Tripropylene Glycol Diacrylate ((1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate)
 Bis Phosphate
 Silica
 Silica Dimethyl Silylate
 HEMA
 Methyl Benzoylformate
 p-Hydroxyanisole
 CI 60725

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 3 of 12

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
27813-02-1	HYDROXYPROPYL METHACRYLATE			5 - 10 %
	248-666-3		01-2119490226-37	
	Eye Irrit. 2, Skin Sens. 1; H319 H317			
868-77-9	2-hydroxyethyl methacrylate			5 - 10 %
	212-782-2	607-124-00-X		
	Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1; H319 H315 H317			
42978-66-5	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate			1 - 5 %
	256-032-2	607-249-00-X		
	Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H319 H335 H315 H317 H411			
32435-46-4	BIS PHOSPHATE (=Bis-(2-Methacryloyloxy) Ethyl Phosphate)			1 - 5 %
	251-040-2			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
15206-55-0	METHYL BENZOYLFORMATE			0,1 - 1 %
	239-263-3		01-2120101338-67	
	Skin Sens. 1; H317			

Full text of H and EUH statements: see section 16.

Further Information

The classification is in compliance with coming legislation and therefore may differ from the safety label on the package.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Evacuate personnel to safe areas. Take off all contaminated clothing immediately. Consult a physician if necessary. Show this safety data sheet to the doctor in attendance.

If unconscious place in recovery position and seek medical advice.

After inhalation

Move to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position and seek medical advice.

After contact with skin

In case of contact, immediately flush skin with soap and plenty of water. If skin irritation occurs, seek medical advice/attention. In case of accidental skin contact avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of skin.

After contact with eyes

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.

In case of accidental eye contact avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of eye.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician immediately.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 4 of 12

4.2. Most important symptoms and effects, both acute and delayed

No data is available on the product itself.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Polymerization can occur. Polymerization is a highly exothermic reaction and may generate sufficient heat to cause thermal decomposition and/or rupture containers. Heating or fire can release toxic gas. Use water spray to cool unopened containers.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Additional information

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Prevent fire extinguishing water from contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment. Avoid breathing vapors, mist or gas. Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only with adequate ventilation. Handle and open container with care. Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist or gas. Wash hands before breaks and at the end of workday. Handle in accordance with good industrial hygiene and safety practice. Take notice of labels and material safety data sheets for the working chemicals. Refer also to instructions for use.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Keep away from heat. May be ignited by open flame.

Further information on handling

Polymerisation occurs when exposed to white light, ultraviolet light or heat.

Refer also to instructions for use.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 5 of 12

Requirements for storage rooms and vessels

Store in original container. Keep tightly closed in a dry, cool and well-ventilated place. Protect from frost, heat and sunlight. Keep at temperature not exceeding 40°C.

Advice on storage compatibility

not required

7.3. Specific end use(s)

Cosmetic product

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
27813-02-1	HYDROXYPROPYL METHACRYLATE			
	Consumer DNEL, long-term	inhalation	systemic	8,8 mg/m ³
	Worker DNEL, long-term	inhalation	systemic	14,7 mg/m ³
	Worker DNEL, long-term	dermal	systemic	4,2 mg/kg bw/day
	Consumer DNEL, long-term	dermal	systemic	2,5 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	2,5 mg/kg bw/day
868-77-9	2-hydroxyethyl methacrylate			
	Worker DNEL, long-term	inhalation	systemic	4,9 mg/m ³
	Worker DNEL, long-term	dermal	systemic	1,3 mg/kg bw/day
	Consumer DNEL, long-term	dermal	systemic	0,83 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	0,83 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	2,9 mg/m ³
42978-66-5	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate			
	Consumer DNEL, long-term	dermal	systemic	1,66 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	7,24 mg/m ³
	Worker DNEL, long-term	dermal	systemic	2,77 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	2,08 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	24,48 mg/m ³
15206-55-0	METHYL BENZOYLFORMATE			
	Worker DNEL, long-term	dermal	systemic	3,33 mg/kg bw/day
	Consumer DNEL, long-term	dermal	systemic	1,67 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	1,67 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 6 of 12

PNEC values

CAS No	Substance	Value
Environmental compartment		
27813-02-1	HYDROXYPROPYL METHACRYLATE	
Marine sediment		6,28 mg/kg
Freshwater		0,904 mg/l
Soil		0,727 mg/kg
Marine water		0,904 mg/l
Freshwater sediment		6,28 mg/kg
868-77-9	2-hydroxyethyl methacrylate	
Marine water		0,482 mg/l
Soil		0,476 mg/kg
Marine sediment		3,79 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Freshwater		0,482 mg/l
Freshwater sediment		3,79 mg/kg
42978-66-5	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate	
Marine water		0,0007 mg/l
Soil		0,00243 mg/kg
Freshwater		0,0073 mg/l
Freshwater sediment		0,019 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
15206-55-0	METHYL BENZOYLFORMATE	
Freshwater		0,069 mg/l
Marine water		0,007 mg/l
Freshwater sediment		0,47 mg/kg
Marine sediment		0,047 mg/kg
Micro-organisms in sewage treatment plants (STP)		39 mg/l
Soil		0,027 mg/kg

Additional advice on limit values

No data is available on the product itself.

8.2. Exposure controls

Appropriate engineering controls

Information about special precautions needed for bulk handling is available on request. Handle in accordance with good industrial hygiene and safety practice. To avoid risks to man and the environment, comply with the instructions for use.

Protective and hygiene measures

Provide sufficient air exchange and/or exhaust in work rooms. Handle and open container with care. Keep away from food, drink and animal feedingstuffs. Avoid contact with skin, eyes and clothing. Take off all contaminated clothing immediately. Wash hands before breaks and at the end of workday.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Use protective skin cream before handling the product.
Suitable material: Nitrile rubber/Neoprene-Wear protective gloves.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 7 of 12

Break through time: ≥ 1 h

Glove thickness: 0,5 mm

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Replace when worn.

Skin protection

Protective suit: Long sleeved clothing

Respiratory protection

Use only with adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Environmental exposure controls

The product should not be allowed to enter drains, water courses or the soil. Inform the responsible authorities in case of gas leakage, or of entry into waterways, soil or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	viscous liquid
Colour:	pigmented
Odour:	characteristic

Test method

Changes in the physical state

Initial boiling point and boiling range:	>120 °C
Flash point:	>100 °C
Ignition temperature:	214 °C
Vapour pressure: (at 20 °C)	0,11 hPa
Density:	1,07 g/cm ³
Water solubility:	insoluble

Solubility in other solvents

miscible with most organic solvents: Acetone, Alcohol

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Keep containers tightly closed in a cool, well-ventilated place.

10.3. Possibility of hazardous reactions

Polymerization can occur.

10.4. Conditions to avoid

Exposure to light. Keep away from direct sunlight. Do not expose to temperatures above 40 °C.

10.5. Incompatible materials

Strong oxidizing agents, Strong acids and strong bases, Peroxides

10.6. Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

SECTION 11: Toxicological information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 8 of 12

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No data is available on the product itself.

Acute toxicity

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
27813-02-1	HYDROXYPROPYL METHACRYLATE			
	oral	LD50 >2000 mg/kg	rat	OECD Test Guideline 401
	dermal	LD50 >5000 mg/kg	rabbit	
868-77-9	2-hydroxyethyl methacrylate			
	oral	LD50 5050 mg/kg	Rat	
	dermal	LD50 >5000 mg/kg	rabbit	
42978-66-5	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate			
	oral	LD50 6800 mg/kg	rat	OECD Test Guideline 401
	dermal	LD50 >2000 mg/kg	rabbit	OECD Test Guideline 402
32435-46-4	BIS PHOSPHATE (=Bis-(2-Methacryloyloxy) Ethyl Phosphate)			
	oral	LD50 >2000 mg/kg	Ratte	
15206-55-0	METHYL BENZOYLFORMATE			
	oral	LD50 >6800 mg/kg	rat	OECD Test Guideline 401
	dermal	LD50 >2000 mg/kg	rat	OECD Test Guideline 402

Specific effects in experiment on an animal

No data is available on the product itself.

Practical experience

Other observations

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 9 of 12

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
27813-02-1	HYDROXYPROPYL METHACRYLATE				
	Acute fish toxicity	LC50 85 mg/l	96 h	Oncorhynchus mykiss (rainbow trout)	
	Acute algae toxicity	ErC50 >97,2 mg/l	72 h		OECD Test Guideline 201
	Acute crustacea toxicity	EC50 >143 mg/l	48 h	Daphnia magna (Water flea)	OECD Test Guideline 202
	Crustacea toxicity	NOEC 45,2 mg/l	21 d	Daphnia magna (Water flea)	
868-77-9	2-hydroxyethyl methacrylate				
	Acute fish toxicity	LC50 227 mg/l	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50 836 mg/l	72 h	Selenastrum capricornutum (green algae)	OECD Test Guideline 201
	Acute crustacea toxicity	EC50 380 mg/l	48 h	Daphnia magna (Water flea)	OECD Test Guideline 202
	Algae toxicity	NOEC 400 mg/l	3 d	Selenastrum capricornutum (green algae)	OECD Test Guideline 201
	Crustacea toxicity	NOEC 171 mg/l	2 d	Daphnia magna (Water flea)	OECD Test Guideline 202
	Acute bacteria toxicity	(8560 mg/l)	3 h		
42978-66-5	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate				
	Acute fish toxicity	LC50 10 mg/l	96 h	Leuciscus idus (Golden orfe)	DIN 38412
	Acute algae toxicity	ErC50 65,9 mg/l	72 h	Scenedesmus quadricauda (Green algae)	
	Acute crustacea toxicity	EC50 89 mg/l	48 h	Daphnia magna (Water flea)	
	Acute bacteria toxicity	(>1000 mg/l)	0,5 h		
15206-55-0	METHYL BENZOYLFORMATE				
	Acute fish toxicity	LC50 >54,6 mg/l	96 h	Brachydanio rerio (zebra fish)	
	Acute algae toxicity	ErC50 68,6 mg/l	72 h	Selenastrum capricornutum (green algae)	
	Acute crustacea toxicity	EC50 >39,6 mg/l	48 h	Daphnia magna (Water flea)	
	Crustacea toxicity	NOEC >39,6 mg/l	2 d	Daphnia magna (Water flea)	
	Acute bacteria toxicity	(>1000 mg/l)	3 h		

12.2. Persistence and degradability

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 10 of 12

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
27813-02-1	HYDROXYPROPYL METHACRYLATE			
		81%	28	
868-77-9	2-hydroxyethyl methacrylate			
		92-100%	14	
	Readily biodegradable.			
42978-66-5	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate			
		48%	28	
	Not readily biodegradable.			
15206-55-0	METHYL BENZOYLFORMATE			
	Degradation	82%	10	
	Readily biodegradable.			

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
27813-02-1	HYDROXYPROPYL METHACRYLATE	0,97
868-77-9	2-hydroxyethyl methacrylate	0,42
42978-66-5	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate	2
15206-55-0	METHYL BENZOYLFORMATE	1,9

BCF

CAS No	Chemical name	BCF	Species	Source
27813-02-1	HYDROXYPROPYL METHACRYLATE	3,2		
868-77-9	2-hydroxyethyl methacrylate	1,34-1,54		

12.4. Mobility in soil

No data is available on the product itself.

12.5. Results of PBT and vPvB assessment

No data is available on the product itself.

12.6. Other adverse effects

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of contents/container in accordance with local regulation.

Waste disposal number of waste from residues/unused products

080199 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; wastes not otherwise specified

Waste disposal number of used product

080199 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; wastes not otherwise specified

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 11 of 12

Waste disposal number of contaminated packaging

080199 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; wastes not otherwise specified

Contaminated packaging

Dispose of contents/container in accordance with local regulation.
Solidify unexposed surplus and dispose of together with processed material as cured plastic waste.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.
Danger releasing substance: No data is available on the product itself.

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice. To avoid risks to man and the environment, comply with the instructions for use.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 6,5 % (69,55 g/l)
Subcategory according to Directive 2004/42/EC: Special finishes - All types, VOC limit value: 840 g/l

Additional information

The classification is in compliance with coming legislation and therefore may differ from the safety label on the package.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FiberTech Gel - P

Print date: 11.03.2016

Product code: 6999

Page 12 of 12

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 2 - water contaminating

SECTION 16: Other information**Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH204	Contains isocyanates. May produce an allergic reaction.

Further Information

All data refer to the product upon delivery

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

In case of emergency call CHEMTREC 1-800-424-9300.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)